





MARK RAAPHORST

FOUNDER OF SANDWICH ISLANDS COMPOSITES

The trajectory of my career started at my local surfboard shop in The Hague, pushing a broom from age 14. What I picked up in those dusty shaping rooms inspired me. In 1986, on a cold day in the Netherlands, I left my native country and set out on a 2-year journey that took me around the world. I eventually landed in Hawaii (a.k.a. the Sandwich Islands) and it became my new home. In Maui, the masters were many. Most were willing to share and I was eager to learn... and so I did.

For more than 15 years, I shaped windsurfers and surfboards while honing my skills. Then, in 2003, the outrigger canoe world caught my attention. Building these sleek, striking crafts was my next goal. It was a humbling experience. I found out the hard way that molding 21' hollow canoes had little to do with Styrofoam and my trusted Skill 100 planer. But, the stubborn Dutchman in me persisted and I was eventually building some of the fastest OC-1 and OC-4 canoes in the islands.

In 2005, I noticed that stand-up paddling was catching on. The boards were long and hard to maneuver. I thought, "I can apply my years of surfboard and windsurf shaping with the techniques I had learned building light-weight, hollow and styrene core outrigger canoes in order to make a fast and lightweight SUP board". This journey and the inspiration along the way, led to the creation of SIC and a new chapter in my story.









TECHNOLOGY



DOUBLE CARBON COMPOSITE

- O SIC'S PROPRIETARY ACTIVE STEERING SYSTEM (A.S.S)
 PLUMMED FOR EITHER REGULAR OR GOOFY FOOT
- ② LIGHT WEIGHT EPS CORE
- **3** TOUGH/LIGHT DECK PATCH
- 4 FULL WRAP UNI-DIRECTIONAL CARBON FIBER
- **5** FULL WRAP BIAXIAL CARBON FIBER
- **6** EVA DECK PAD

(MODELS: BULLET 14 WITH A.S.S., BULLET 17, F-16)



SEMI-CUSTOM CARBO

- O LIGHT WEIGHT EPS CORE
- TOUGH/LIGHT DECK PATCH
- FULL WRAP BIAXIAL CARBON FIBER
- EVA DECK PAD
- EZ-GRAB HANDLE (EXCLUDING SURF MODELS)

(MODELS: ALL MODELS EXCLUDING BULLET-17, F-16)



TUFF-WOOD CUSTOM COMPOSIT

- O LIGHT WEIGHT EPS CORE
- O TOUGH/LIGHT DECK PATCH
- O CARBON RAIL WRAP
- EVA DECK PAD
- © EZ-GRAB HANDLE (EXCLUDING SURF MODELS)

(MODELS: ALL MODELS EXCLUDING BULLET-17, F-16)





X SERIES



RACE FITNESS SURF

FLAT-WATER RACE / FITNESS / TOURING

WAVE PIERCING BOW, DISPLACEMENT HULL, EFFICIENT WATERLINE, HIGH VOLUME RAILS FOR FAST AND STABLE GLIDING, ERGONOMIC DECK, CARGO NET, SOFT DECK PAD, EASY GRAB HANDLE.







X-12

FLAT-WATER RACE AND FITNESS

With its wave piercing bow, and a quick transition to flat, this "Stock Class" board has a great glide in "displacement mode" while in calm waters, and is stable when in "planing mode" in choppier conditions. Sharp rails at the tail shear water for unlimited speed. This is your weapon of choice if you want looking to cover a lot of ground or to win the BOP.

Suggested max. rider weight: 225 Lbs. / 100 Kg.

Standard features include proprietary **EZ-Grab** handle and can be rigged with a cargo net.

AVAILABLE IN 2 CONSTRUCTIONS

X-12 SCC "SEMI-CUSTOM CARBON"

LENGTH WIDTH VOLUME 12'6" 28" 255.9 L 381cm 71.12cm

TUFF-WOOD CUSTOM COMPOSIT

X-12 TWCC "TUFF-WOOD CUSTOM COMPOSITE"

LENGTH WIDTH VOLUME 12'6" 29.5" 265.7 L 381cm 74.93cm



X-14

FLAT-WATER RACE AND FITNESS

A scaled up version of the X-12, this missile provides unrivaled flat-water speed. Its sharp displacement bow is like a knife through flat water and chop. The quick transition to flat provides stability and keeps the board in glide mode between strokes. Sharp rails at the tail shear water for unlimited speed on the open range.

Suggested max. rider weight: 250 Lbs. / 115 Kg.

Standard features include proprietary **EZ-Grab** handle and can be rigged with a cargo net.

AVAILABLE IN 2 CONSTRUCTIONS

SEMI-CUSTOM CARBON

X-14 SCC "SEMI-CUSTOM CARBON"

LENGTH WIDTH VOLUME 14'0" 29.5" 295.5 L 426.72cm 74.93cm

TUFF-WOOD CUSTOM COMPOSIT

X-14 TWCC "TUFF-WOOD CUSTOM COMPOSITE"

LENGTH WIDTH VOLUME 14'0" 29.5" 295.5 L 426.72cm 74.93cm





BULLET SERIES



FITNESS

OPEN-OCEAN / FITNESS / TOURING

THE BULLET SERIES AND F-16 HAVE A FLAT BOTTOM PLANING STYLE HULL DESIGN WITH HIGH VOLUME RAILS WHICH GIVES YOU A BALANCED PLATFORM FOR GENERAL FITNESS AND CONTROL IN ROUGH SWELLS. THE LOWER NOSE ROCKER AND NATURAL CURVE TAIL ROCKER KEEPS YOU GOING IN THE SURF. THE DECK IS LIGHTLY CONTOURED AND THE BULLET 11, 12 AND 14 ARE STANDARD EQUIPPED WITH OUR EZ-GRAB HANDLES. THE F-16 AND BULLET-17 ARE ALWAYS A.S.S. (ACTIVE STEERING SYSTEM) EQUIPPED. OPTIONAL A.S.S. ON BULLET-14.







BULLET-11

OPEN-WATER AND FITNESS

This light-weight fitness and touring board has good glides and directional control. The low nose rocker creates a long effective water line combined with a slight single concave for easy acceleration, graduating to flat through the middle for stability and a better glide. The design finishes with panel-V design for clean water release and control at higher speed.

Suggested max. rider weight: 175 Lbs. / 80 Kg.

Standard features include proprietary EZ-Grab handle and can be rigged with a cargo net.

RACE//// SURF 2

BULLET-11 CONSTRUCTION

BULLET-11 SCC "SEMI-CUSTOM CARBON"

28.25" 335.28cm 71.76cm



BULLET-12

OPEN-WATER RACE AND FITNESS

This racehorse was created for the SIC Race-Team who demanded the fastest, vet most stable board with ultra-quick acceleration and superior control. Incidentally, offshore race boards have also proven to make some of the most versatile fitness and touring boards. Paddle with ease and see more on your tour.

Suggested max. rider weight: 215 Lbs. / 100 Kg.

Standard features include proprietary EZ-Grab handle and can be rigged with a cargo net

AVAILABLE IN 2 CONSTRUCTIONS



BULLET-12 SCC "SEMI-CUSTOM CARBON"

WIDTH VOLUME 28.25" 237.2L

381cm 71.76cm



BULLET-12 TWCC "TUFF-WOOD CUSTOM COMPOSITE"

WIDTH VOLUME

28.25" 237.2L

71.76cm 381cm





BULLET-14

OPEN-WATER RACE AND FITNESS

This race-horse was created for the SIC Race-Team who demanded the fastest, yet stable board with ultra-quick acceleration and su-perior control. Incidentally, open-water race boards have all proven to make for some of the most versatile fitness and touring boards. They are designed to handle any condition mother nature can throw your way.

Suggested max. rider weight: 215 Lbs. / 100 Kg.

Standard features include proprietary EZ-Grab handle and can be rigged with a cargo net.

FITNESS/////

AVAILABLE IN 4 CONSTRUCTIONS



BULLET-14 DCC "DOUBLE CARBON COMPOSITE"

LENGTH WIDTH VOLUME 27.25" 295.5L 14'0"

426.72cm 69.22cm

BULLET-14 SCC "SEMI-CUSTOM CARBON"

LENGTH WIDTH VOLUME 14'0" 27.25" 295.5L 426.72cm 69.22cm

TUTCE ACTIVE STREETING SYSTEM

BULLET-14 TWCC "TUFF-WOOD CUSTOM COMPOSITE"

LENGTH WIDTH VOLUME 14'0" 27.25" 295.5L 426.72cm 69.22cm

TUUC

BULLET-14 TWCC "TUFF-WOOD CUSTOM COMPOSITE"

LENGTH WIDTH VOLUME 14'0" 27.25" 295.5L 426.72cm 69.22cm

BULLET-17

OPEN-WATER RACE AND FITNESS

This inter-island missile has a more narrow outline than the F-16 for max speed and maneuverability on smaller swell and chop. An efficient rocker-profile keeps you into the energy zone of the swell, maintains the highest average speed and can maneuver quickly to catch swells from any direction. Its flat bottom delivers tremendous glide while the panel-V tail keeps the nose elevated in the troughs and in the chop.

Suggested max. rider weight: 300 Lbs. / 135 Kg.

FITNESS/// SURF%

BULLET-17 CONSTRUCTION



BULLET-17 DCC "DOUBLE CARBON COMPOSITE"

LENGTH WIDTH VOLUME 17'4" 26.625" 370.7L 528.32cm 67.63cm



SIC's proprietary Active Steering System (A.S.S). Plummed for either regular or goofy foot.



F-16

OPEN-WATER RACE AND TOURING

The F-16 is our most versatile down-winder in the SIC arsenal. With enough nose curve and ample tail release it can handle late drops and tight chops with ease. Whether living in Lake Garda or Hood River, this is the long distance race and touring board of choice. Slightly wider than the Bullet 17, this comfortable, steering equipped board has proven itself by winning the M20 Race (Molokai to Oahu Kaiwi Channel) several times.

Suggested max. rider weight: 225 Lbs. / 100 Kg.

F-16 CONSTRUCTION



F-16 DCC "DOUBLE CARBON COMPOSITE"


 LENGTH
 WIDTH
 VOLUME

 16'0"
 27.125"
 323.7L

 487.68cm
 68.9cm



SIC's proprietary Active Steering System (A.S.S). Plummed for either regular or goofy foot.





RECON SERIES



FITNESS *****************************

RECON - SURF/RECREATION

GOOD IN ALL WAVE CONDITIONS, FAST TO GLIDE INTO SMALL TO MID-SIZED SWELLS, FORGIVING NOSE AND RESPONSIVE TAIL ROCKER, SOFT AND TEXTURED DECK PAD.





RECON-9

HIGH PERFORMANCE SURF

A fast progressive rocker profile with narrow pintail and thinned out rails enables you to set your edge for aggressive turns. Excels in surf from 4 to 8'. Complete with (4) SIC fins (FCS compatible). It can be ridden as a quad, tri or twin fin.

Suggested max. rider weight: 200 Lbs. / 90 Kg.

RACE FITNESS SURF////

AVAILABLE IN 2 CONSTRUCTIONS



RECON-9 SCC "SEMI-CUSTOM CARBON"

LENGTH WIDTH VOLUME 9'4" 29" 123.2L

284.48cm 73.66cm

TUCC

RECON-9 TWCC "TUFF-WOOD CUSTOM COMPOSITE"

LENGTH WIDTH VOLUME 9'4" 29" 123.2L

284.48cm 73.66cm



RECON-10

PERFORMANCE SURF

The big brother of the ReCon-9, this board easily drops in on slower breaks and is great for mid to larger sized riders. The ReCon-10 gives you a 9'6" feel on a 10'6" ride. Complete with (4) SIC fins (FCS compatible). It can be ridden as a quad, tri or twin fin.

Suggested max. rider weight: 225 Lbs. / 100 Kg.

FITNESS//////

AVAILABLE IN 2 CONSTRUCTIONS



RECON-10 SCC "SEMI-CUSTOM CARBON"

LENGTH WIDTH VOLUME

320.04cm 86.36cm

TUFF-WOOD CUSTOM COMPOSITE

RECON-10 TWCC "TUFF-WOOD CUSTOM COMPOSITE"

LENGTH WIDTH VOLUME 10'6" 34" 320.04cm 86.36cm



RECON-11

ALL-ROUND SURF

This board is super fun and versatile. Designed for the person who wants a versatile board that can drop into small to mid size waves or to paddle to the other side of the harbor to collect some beers off your buddies boat. Easy to plane and agile for its length, pump down the line or get your toeson-the-nose. Offered in single fin only because that is all you need.

Suggested max. rider weight: 250 Lbs. / 115 Kg.

RACE FITNESS//////////

AVAILABLE IN 2 CONSTRUCTIONS



RECON-11 SCC "SEMI-CUSTOM CARBON" LENGTH WIDTH VOLUME

11'4" 28.25" 171L

345.44cm 71.76cm

RECON-11 TWCC "TUFF-WOOD CUSTOM COMPOSITE"

LENGTH WIDTH VOLUME 11'4" 28.25" 171L

345.44cm 71.76cm

PAGE 31





